JOINERY RANGE 2026-27

LEDFLEX

One Offices
Dubai, UAE
Lighting Design: Studio N

A Global Partner in Light

At LEDFlex Group, we operate beyond the traditional role of a lighting manufacturer. We work in close collaboration with lighting designers, architects, and specifiers to translate ambitious concepts into precisely engineered lighting solutions, delivered across projects worldwide. Bespoke thinking sits at the heart of everything we do.
Our portfolio encompasses a diverse range of lighting systems and applications, enabling us to support projects of varying scales, contexts, and complexities, wherever they are located. Each solution is developed with careful consideration of technical performance, visual intent, and the unique demands of its environment. Through LEDFlex Services, our involvement extends well beyond manufacturing, supporting projects from early design development through to installation, execution, and long-term performance.

Backed by an in-house team of engineers, technical specialists, and project experts, we provide hands-on guidance at every stage, from system design and detailing to rapid prototyping, on-site commissioning, and long-term after-sales support that carries projects from concept sketch to final handover. This depth of involvement is reinforced by a global network, enabling us to deliver consistent expertise and local support across regions and markets.

From architectural and urban environments to hospitality, residential, and commercial spaces, LEDFlex enables lighting that is both technically assured and creatively uncompromising. While we continue to advance performance, precision, and system intelligence, our focus remains clear: to empower designers, give form to ideas, and help elevate projects through lighting solutions that resonate long after the space is illuminated.

MISSION

We manufacture well-engineered linear lighting systems that integrate with the dynamic demands of today’s market.

VISION

To be globally recognised for sustainable premium linear lighting systems that inspire creativity while raising the benchmark for customer service excellence.

Product Portfolio



Flexi Range

The Flexi Range is a versatile series of flexible, linear LED light engines designed for diverse interior and exterior applications



Flexi Neon

Flexi Neon offers highly durable, flexible and diffused linear LEDs built for harsh environments, streamlined to ease specification



Linear In-Ground

The Linear In-Ground range consists of drive-over flexible linear fixtures specifically designed for outdoor applications



Flexi Panel

The Flexi Panel range consists of ultra-thin, flexible LED light sheets designed for direct adhesion to flat or curved surfaces



Rigid Grazer

The Rigid Grazer range offers tailored solutions for seamless wall grazing applications



Rigid Optico

The Rigid Optico range consists of high-power LED fixtures designed for dynamic exterior wall washing

Joinery Range

The Joinery Range features linear lighting systems designed for seamless integration into architectural joinery and millwork



Accessories

The LEDFlex control drivers are designed to integrate with the increasing range of available controllers

Contents

Shelf 18
Seamless shelving integration for customisable task, ambient, and accent lighting

Pull Handles 78
Horizontal and vertical integrated handle-free cabinet lighting solutions

Skirt 98
Joinery solutions for base integration, delivering floor-grazing illumination

Sensors 112
Integrated sensor solutions for seamless lighting control within joinery applications

Drivers 118
Power supplies engineered to seamlessly support joinery lighting solutions



Joinery Flex 124
Narrow single cut Flex to complement Joinery Profiles

Nobu Atlantis
Dubai, UAE
Lighting Design: Isometrix Lighting Design

Product Feature Icons

Colour Temperature

- 1500K - 1900K
- 2000K - 2400K
- 2500K - 2900K
- 3000K - 3400K
- 3500K - 3900K
- 4000K - 4400K
- 4500K - 4900K
- 5000K - 5400K
- 5500K - 5900K
- 6000K - 6500K

Colour Options

- Single Colour
- Single Colour Pixel
- Dynamic White
- Dynamic White Pixel
- RGB
- RGB Pixel
- RGBW
- RGBW Pixel
- Dim to Warm

Product Features

ERP · UL · CE · RoHS · Ex · LM 79/80 COMPLIANT · VHB Tape · cULus · CRI 80+ · CRI 90+ · CRI 95+

2m MAX LENGTH · 3m MAX LENGTH · 5m MAX LENGTH · 6m MAX LENGTH · 7m MAX LENGTH · 8m MAX LENGTH · 9m MAX LENGTH · 10m MAX LENGTH · 12m MAX LENGTH · 14m MAX LENGTH · 15m MAX LENGTH

20m MAX LENGTH · IP20 · IP54 · IP65 · IP67 · IP68 · 2SDCM · 3SDCM · UGR <19 · IK08 · IK10

90° JOINERS · 120° JOINERS · 180° JOINERS · 90° & 180° JOINERS · SOLE DIRECTION · DUAL DIRECTION · FLAME RESISTANCE · UV RESISTANCE · SALTWATER RESISTANCE · SOLVENT RESISTANCE · CHLORINE RESISTANCE

END CAPS · SPRING BRACKET · PLASTIC CLIPS · ADJUSTABLE BRACKET · MOUNTING CLIPS · CONNECTORS · SUSPENSION WIRE · SUSPENDED MOUNDING · SURFACE MOUNTING · RECESSED MOUNTING · SCREW FIXING

1 YEAR WARRANTY · 2 YEARS WARRANTY · 3 YEARS WARRANTY · 4 YEARS WARRANTY · 5 YEARS WARRANTY · 7 YEARS WARRANTY · 10 YEARS WARRANTY · CUSTOM SHAPES · CUTTABLE ON SITE · DIMMABLE TECHNOLOGY · DALI & DALI-2 Protocol System

DMX 512 · TOUGHENED GLASS COVER · TUV · TM66 ASSESSED · TM66 ASSESSED · UP TO 23 PANELS · HEAT SINK · ETL · 3500kg @Φ50mm · STAMP ON · ANTI SLIP

48V POWER SUPPLIES · RAL COATING · PROFILES

Technical Data Index



1 Product Render
A 3-Dimensional visualisation of our product

2 Name of the Product
E.g. Joinery Shelf Bevel Lite

3 Electrical Output & Data
3.1 Power Consumption
3.2 Voltage
3.3 Ambient Temperature
3.4 Max Length
3.5 CRI
3.6 Material
3.7 Lens Type
3.8 Cable Length

4 Product Features
Certifications & Ratings denoted by icons

5 Technical Drawing
The drawing of the product with accurate measurements

6 Page Navigation
The navigation system to locate sections and product details

7 Product Range
The complete list of available product variants

8 Lumen Output
A measure of the brightness of the LED light output

9 Colour Temperature
The colour tint of white light, listed from warmest to coldest value

10 Power Consumption
The range of power consumption and current flow

11 Finish Colour
The visible surface colour of the product

12 Product Code
A unique identification code to specify the exact product configuration

Joinery Range

The Joinery Range features linear lighting systems designed for seamless integration into architectural joinery and millwork. It features specialised families for shelving, closet rails, pull-handles, and skirting, each engineered with precision optics, minimalist profiles, and refined detailing to deliver both functional and ambient illumination. Supported by a comprehensive suite of drivers and integrated sensors, this fully connected, plug-and-play solution simplifies installation while maintaining visual continuity and design integrity.

Shelf

A collection of precision-engineered linear lighting profiles designed for seamless integration within shelving applications. The range includes a variety of beam angles, lens types, and mounting styles—offering solutions for task, ambient, and accent lighting across both open and enclosed joinery. From flush-mounted bevelled profiles to optic-controlled beam variants, each product is developed to enhance visual comfort, eliminate glare, and maintain clean detailing.



Joinery Shelf Bevel Lite

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Bevel Lite	172lm/m 52.42lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSBLJL230420OP45B
Joinery Shelf Bevel Lite	172lm/m 52.42lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSBLJL230420OP45BR
Joinery Shelf Bevel Lite	172lm/m 52.42lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSBLJL230420OP45CH
Joinery Shelf Bevel Lite	172lm/m 52.42lm/ft	2300K	4.8W/m 1.46W/ft	Grey	JSBLJL230420OP45G
Joinery Shelf Bevel Lite	172lm/m 52.42lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSBLJL230420OP45GO
Joinery Shelf Bevel Lite	307lm/m 93.57lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSBLJL230920OP45B
Joinery Shelf Bevel Lite	307lm/m 93.57lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSBLJL230920OP45BR
Joinery Shelf Bevel Lite	307lm/m 93.57lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSBLJL230920OP45CH
Joinery Shelf Bevel Lite	307lm/m 93.57lm/ft	2300K	9.6W/m 2.93W/ft	Grey	JSBLJL230920OP45G
Joinery Shelf Bevel Lite	307lm/m 93.57lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSBLJL230920OP45GO
Joinery Shelf Bevel Lite	190lm/m 57.91lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSBLJL270420OP45B
Joinery Shelf Bevel Lite	190lm/m 57.91lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSBLJL270420OP45BR
Joinery Shelf Bevel Lite	190lm/m 57.91lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSBLJL270420OP45CH
Joinery Shelf Bevel Lite	190lm/m 57.91lm/ft	2700K	4.8W/m 1.46W/ft	Grey	JSBLJL270420OP45G
Joinery Shelf Bevel Lite	190lm/m 57.91lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSBLJL270420OP45GO
Joinery Shelf Bevel Lite	378lm/m 115.21lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSBLJL270920OP45B
Joinery Shelf Bevel Lite	378lm/m 115.21lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSBLJL270920OP45BR
Joinery Shelf Bevel Lite	378lm/m 115.21lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSBLJL270920OP45CH
Joinery Shelf Bevel Lite	378lm/m 115.21lm/ft	2700K	9.6W/m 2.93W/ft	Grey	JSBLJL270920OP45G
Joinery Shelf Bevel Lite	378lm/m 115.21lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSBLJL270920OP45GO
Joinery Shelf Bevel Lite	211lm/m 64.31lm/ft	3000K	4.8W/m 2.93W/ft	Black	JSBLJL300420OP45B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Bevel Lite	211lm/m 64.31lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSBLJL300420OP45BR
Joinery Shelf Bevel Lite	211lm/m 64.31lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSBLJL300420OP45CH
Joinery Shelf Bevel Lite	211lm/m 64.31lm/ft	3000K	4.8W/m 1.46W/ft	Grey	JSBLJL300420OP45G
Joinery Shelf Bevel Lite	211lm/m 64.31lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSBLJL300420OP45GO
Joinery Shelf Bevel Lite	389lm/m 118.56lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSBLJL300920OP45B
Joinery Shelf Bevel Lite	389lm/m 118.56lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSBLJL300920OP45BR
Joinery Shelf Bevel Lite	389lm/m 118.56lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSBLJL300920OP45CH
Joinery Shelf Bevel Lite	389lm/m 118.56lm/ft	3000K	9.6W/m 2.93W/ft	Grey	JSBLJL300920OP45G
Joinery Shelf Bevel Lite	389lm/m 118.56lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSBLJL300920OP45GO
Joinery Shelf Bevel Lite	218lm/m 66.44lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSBLJL350420OP45B
Joinery Shelf Bevel Lite	218lm/m 66.44lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSBLJL350420OP45BR
Joinery Shelf Bevel Lite	218lm/m 66.44lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSBLJL350420OP45CH
Joinery Shelf Bevel Lite	218lm/m 66.44lm/ft	3500K	4.8W/m 1.46W/ft	Grey	JSBLJL350420OP45G
Joinery Shelf Bevel Lite	218lm/m 66.44lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSBLJL350420OP45GO
Joinery Shelf Bevel Lite	443lm/m 135.02lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSBLJL350920OP45B
Joinery Shelf Bevel Lite	443lm/m 135.02lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSBLJL350920OP45BR
Joinery Shelf Bevel Lite	443lm/m 135.02lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSBLJL350920OP45CH
Joinery Shelf Bevel Lite	443lm/m 135.02lm/ft	3500K	9.6W/m 2.93W/ft	Grey	JSBLJL350920OP45G
Joinery Shelf Bevel Lite	443lm/m 135.02lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSBLJL350920OP45GO
Joinery Shelf Bevel Lite	271lm/m 82.6lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSBLJL400420OP45B
Joinery Shelf Bevel Lite	271lm/m 82.6lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSBLJL400420OP45BR

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Bevel Lite	271lm/m 82.6lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSBLJL400420OP45CH
Joinery Shelf Bevel Lite	271lm/m 82.6lm/ft	4000K	4.8W/m 1.46W/ft	Grey	JSBLJL400420OP45G
Joinery Shelf Bevel Lite	271lm/m 82.6lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSBLJL400420OP45GO
Joinery Shelf Bevel Lite	515lm/m 156.96lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSBLJL400920OP45B
Joinery Shelf Bevel Lite	515lm/m 156.96lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSBLJL400920OP45BR
Joinery Shelf Bevel Lite	515lm/m 156.96lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSBLJL400920OP45CH
Joinery Shelf Bevel Lite	515lm/m 156.96lm/ft	4000K	9.6W/m 2.93W/ft	Grey	JSBLJL400920OP45G
Joinery Shelf Bevel Lite	515lm/m 156.96lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSBLJL400920OP45GO



Joinery Shelf Bevel

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Bevel	182lm/m 55.47lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSBJL230420P45B
Joinery Shelf Bevel	182lm/m 55.47lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSBJL230420P45BR
Joinery Shelf Bevel	182lm/m 55.47lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSBJL230420P45CH
Joinery Shelf Bevel	182lm/m 55.47lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSBJL230420P45GO
Joinery Shelf Bevel	325lm/m 99.06lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSBJL230920P45B
Joinery Shelf Bevel	325lm/m 99.06lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSBJL230920P45BR
Joinery Shelf Bevel	325lm/m 99.06lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSBJL230920P45CH
Joinery Shelf Bevel	325lm/m 99.06lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSBJL230920P45GO
Joinery Shelf Bevel	202lm/m 61.57lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSBJL270420P45B
Joinery Shelf Bevel	202lm/m 61.57lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSBJL270420P45BR
Joinery Shelf Bevel	202lm/m 61.57lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSBJL270420P45CH
Joinery Shelf Bevel	202lm/m 61.57lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSBJL270420P45GO
Joinery Shelf Bevel	401lm/m 122.22lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSBJL270920P45B
Joinery Shelf Bevel	401lm/m 122.22lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSBJL270920P45BR
Joinery Shelf Bevel	401lm/m 122.22lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSBJL270920P45CH
Joinery Shelf Bevel	401lm/m 122.22lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSBJL270920P45GO
Joinery Shelf Bevel	223lm/m 67.97lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSBJL300420P45B
Joinery Shelf Bevel	223lm/m 67.97lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSBJL300420P45BR
Joinery Shelf Bevel	223lm/m 67.97lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSBJL300420P45CH
Joinery Shelf Bevel	223lm/m 67.97lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSBJL300420P45GO
Joinery Shelf Bevel	412lm/m 125.57lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSBJL300920P45B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Bevel	412lm/m 125.57lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSBJL300920P45BR
Joinery Shelf Bevel	412lm/m 125.57lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSBJL300920P45CH
Joinery Shelf Bevel	412lm/m 125.57lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSBJL300920P45GO
Joinery Shelf Bevel	230lm/m 70.1lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSBJL350420P45B
Joinery Shelf Bevel	230lm/m 70.1lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSBJL350420P45BR
Joinery Shelf Bevel	230lm/m 70.1lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSBJL350420P45CH
Joinery Shelf Bevel	230lm/m 70.1lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSBJL350420P45GO
Joinery Shelf Bevel	469lm/m 142.94lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSBJL350920P45B
Joinery Shelf Bevel	469lm/m 142.94lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSBJL350920P45BR
Joinery Shelf Bevel	469lm/m 142.94lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSBJL350920P45CH
Joinery Shelf Bevel	469lm/m 142.94lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSBJL350920P45GO
Joinery Shelf Bevel	287lm/m 87.47lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSBJL400420P45B
Joinery Shelf Bevel	287lm/m 87.47lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSBJL400420P45BR
Joinery Shelf Bevel	287lm/m 87.47lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSBJL400420P45CH
Joinery Shelf Bevel	287lm/m 87.47lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSBJL400420P45GO
Joinery Shelf Bevel	545lm/m 166.11lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSBJL400920P45B
Joinery Shelf Bevel	545lm/m 166.11lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSBJL400920P45BR
Joinery Shelf Bevel	545lm/m 166.11lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSBJL400920P45CH
Joinery Shelf Bevel	545lm/m 166.11lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSBJL400920P45GO



Joinery Shelf Halo

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Halo	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSHJL230420DB
Joinery Shelf Halo	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSHJL230420DBR
Joinery Shelf Halo	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSHJL230420DCH
Joinery Shelf Halo	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSHJL230420DGO
Joinery Shelf Halo	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSHJL230920DB
Joinery Shelf Halo	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSHJL230920DBR
Joinery Shelf Halo	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSHJL230920DCH
Joinery Shelf Halo	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSHJL230920DGO
Joinery Shelf Halo	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSHJL270420DB
Joinery Shelf Halo	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSHJL270420DBR
Joinery Shelf Halo	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSHJL270420DCH
Joinery Shelf Halo	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSHJL270420DGO
Joinery Shelf Halo	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSHJL270920DB
Joinery Shelf Halo	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSHJL270920DBR
Joinery Shelf Halo	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSHJL270920DCH
Joinery Shelf Halo	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSHJL270920DGO
Joinery Shelf Halo	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSHJL300420DB
Joinery Shelf Halo	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSHJL300420DBR
Joinery Shelf Halo	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSHJL300420DCH
Joinery Shelf Halo	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSHJL300420DGO
Joinery Shelf Halo	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSHJL300920DB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Halo	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSHJL300920DBR
Joinery Shelf Halo	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSHJL300920DCH
Joinery Shelf Halo	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSHJL300920DGO
Joinery Shelf Halo	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSHJL350420DB
Joinery Shelf Halo	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSHJL350420DBR
Joinery Shelf Halo	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSHJL350420DCH
Joinery Shelf Halo	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSHJL350420DGO
Joinery Shelf Halo	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSHJL350920DB
Joinery Shelf Halo	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSHJL350920DBR
Joinery Shelf Halo	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSHJL350920DCH
Joinery Shelf Halo	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSHJL350920DGO
Joinery Shelf Halo	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSHJL400420DB
Joinery Shelf Halo	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSHJL400420DBR
Joinery Shelf Halo	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSHJL400420DCH
Joinery Shelf Halo	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSHJL400420DGO
Joinery Shelf Halo	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSHJL400920DB
Joinery Shelf Halo	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSHJL400920DBR
Joinery Shelf Halo	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSHJL400920DCH
Joinery Shelf Halo	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSHJL400920DGO



Joinery Shelf Halo Shield

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Halo Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSHSJL230420P45B
Joinery Shelf Halo Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSHSJL230420P45BR
Joinery Shelf Halo Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSHSJL230420P45CH
Joinery Shelf Halo Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSHSJL230420P45GO
Joinery Shelf Halo Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSHSJL230920P45B
Joinery Shelf Halo Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSHSJL230920P45BR
Joinery Shelf Halo Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSHSJL230920P45CH
Joinery Shelf Halo Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSHSJL230920P45GO
Joinery Shelf Halo Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSHSJL270420P45B
Joinery Shelf Halo Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSHSJL270420P45BR
Joinery Shelf Halo Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSHSJL270420P45CH
Joinery Shelf Halo Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSHSJL270420P45GO
Joinery Shelf Halo Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSHSJL270920P45B
Joinery Shelf Halo Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSHSJL270920P45BR
Joinery Shelf Halo Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSHSJL270920P45CH
Joinery Shelf Halo Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSHSJL270920P45GO
Joinery Shelf Halo Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSHSJL300420P45B
Joinery Shelf Halo Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSHSJL300420P45BR
Joinery Shelf Halo Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSHSJL300420P45CH
Joinery Shelf Halo Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSHSJL300420P45GO
Joinery Shelf Halo Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSHSJL300920P45B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Halo Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSHSJL300920P45BR
Joinery Shelf Halo Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSHSJL300920P45CH
Joinery Shelf Halo Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSHSJL300920P45GO
Joinery Shelf Halo Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSHSJL350420P45B
Joinery Shelf Halo Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSHSJL350420P45BR
Joinery Shelf Halo Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSHSJL350420P45CH
Joinery Shelf Halo Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSHSJL350420P45GO
Joinery Shelf Halo Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSHSJL350920P45B
Joinery Shelf Halo Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSHSJL350920P45BR
Joinery Shelf Halo Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSHSJL350920P45CH
Joinery Shelf Halo Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSHSJL350920P45GO
Joinery Shelf Halo Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSHSJL400420P45B
Joinery Shelf Halo Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSHSJL400420P45BR
Joinery Shelf Halo Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSHSJL400420P45CH
Joinery Shelf Halo Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSHSJL400420P45GO
Joinery Shelf Halo Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSHSJL400920P45B
Joinery Shelf Halo Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSHSJL400920P45BR
Joinery Shelf Halo Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSHSJL400920P45CH
Joinery Shelf Halo Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSHSJL400920P45GO



Joinery Shelf Halo Shield Adjustable

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · YEARS WARRANTY

Technical Drawing

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Halo Shield Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSHSAJL230420PB
Joinery Shelf Halo Shield Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSHSAJL230420PBR
Joinery Shelf Halo Shield Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSHSAJL230420PCH
Joinery Shelf Halo Shield Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSHSAJL230420PGO
Joinery Shelf Halo Shield Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSHSAJL230920PB
Joinery Shelf Halo Shield Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSHSAJL230920PBR
Joinery Shelf Halo Shield Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSHSAJL230920PCH
Joinery Shelf Halo Shield Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSHSAJL230920PGO
Joinery Shelf Halo Shield Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSHSAJL270420PB
Joinery Shelf Halo Shield Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSHSAJL270420PBR
Joinery Shelf Halo Shield Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSHSAJL270420PCH
Joinery Shelf Halo Shield Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSHSAJL270420PGO
Joinery Shelf Halo Shield Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSHSAJL270920PB
Joinery Shelf Halo Shield Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSHSAJL270920PBR
Joinery Shelf Halo Shield Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSHSAJL270920PCH
Joinery Shelf Halo Shield Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSHSAJL270920PGO
Joinery Shelf Halo Shield Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSHSAJL300420PB
Joinery Shelf Halo Shield Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSHSAJL300420PBR
Joinery Shelf Halo Shield Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSHSAJL300420PCH
Joinery Shelf Halo Shield Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSHSAJL300420PGO
Joinery Shelf Halo Shield Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSHSAJL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Halo Shield Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSHSAJL300920PBR
Joinery Shelf Halo Shield Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSHSAJL300920PCH
Joinery Shelf Halo Shield Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSHSAJL300920PGO
Joinery Shelf Halo Shield Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSHSAJL350420PB
Joinery Shelf Halo Shield Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSHSAJL350420PBR
Joinery Shelf Halo Shield Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSHSAJL350420PCH
Joinery Shelf Halo Shield Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSHSAJL350420PGO
Joinery Shelf Halo Shield Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSHSAJL350920PB
Joinery Shelf Halo Shield Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSHSAJL350920PBR
Joinery Shelf Halo Shield Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSHSAJL350920PCH
Joinery Shelf Halo Shield Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSHSAJL350920PGO
Joinery Shelf Halo Shield Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSHSAJL400420PB
Joinery Shelf Halo Shield Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSHSAJL400420PBR
Joinery Shelf Halo Shield Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSHSAJL400420PCH
Joinery Shelf Halo Shield Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSHSAJL400420PGO
Joinery Shelf Halo Shield Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSHSAJL400920PB
Joinery Shelf Halo Shield Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSHSAJL400920PBR
Joinery Shelf Halo Shield Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSHSAJL400920PCH
Joinery Shelf Halo Shield Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSHSAJL400920PGO

Radisson Deira Creek
Dubai, UAE
Lighting Design: Studio Mark



Joinery Shelf Inflow

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Inflow	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSIJL230420PB
Joinery Shelf Inflow	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSIJL230420PBR
Joinery Shelf Inflow	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSIJL230420PCH
Joinery Shelf Inflow	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSIJL230420PGO
Joinery Shelf Inflow	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSIJL230920PB
Joinery Shelf Inflow	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSIJL230920PBR
Joinery Shelf Inflow	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSIJL230920PCH
Joinery Shelf Inflow	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSIJL230920PGO
Joinery Shelf Inflow	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSIJL270420PB
Joinery Shelf Inflow	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSIJL270420PBR
Joinery Shelf Inflow	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSIJL270420PCH
Joinery Shelf Inflow	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSIJL270420PGO
Joinery Shelf Inflow	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSIJL270920PB
Joinery Shelf Inflow	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSIJL270920PBR
Joinery Shelf Inflow	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSIJL270920PCH
Joinery Shelf Inflow	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSIJL270920PGO
Joinery Shelf Inflow	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSIJL300420PB
Joinery Shelf Inflow	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSIJL300420PBR
Joinery Shelf Inflow	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSIJL300420PCH
Joinery Shelf Inflow	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSIJL300420PGO
Joinery Shelf Inflow	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSIJL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Inflow	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSIJL300920PBR
Joinery Shelf Inflow	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSIJL300920PCH
Joinery Shelf Inflow	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSIJL300920PGO
Joinery Shelf Inflow	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSIJL350420PB
Joinery Shelf Inflow	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSIJL350420PBR
Joinery Shelf Inflow	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSIJL350420PCH
Joinery Shelf Inflow	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSIJL350420PGO
Joinery Shelf Inflow	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSIJL350920PB
Joinery Shelf Inflow	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSIJL350920PBR
Joinery Shelf Inflow	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSIJL350920PCH
Joinery Shelf Inflow	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSIJL350920PGO
Joinery Shelf Inflow	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSIJL400420PB
Joinery Shelf Inflow	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSIJL400420PBR
Joinery Shelf Inflow	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSIJL400420PCH
Joinery Shelf Inflow	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSIJL400420PGO
Joinery Shelf Inflow	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSIJL400920PB
Joinery Shelf Inflow	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSIJL400920PBR
Joinery Shelf Inflow	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSIJL400920PCH
Joinery Shelf Inflow	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSIJL400920PGO



Joinery Shelf Rear Accent Dual

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Silicon
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Accent Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSRADJL230420DB
Joinery Shelf Rear Accent Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSRADJL230420DBR
Joinery Shelf Rear Accent Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSRADJL230420DCH
Joinery Shelf Rear Accent Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSRADJL230420DGO
Joinery Shelf Rear Accent Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSRADJL230920DB
Joinery Shelf Rear Accent Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSRADJL230920DBR
Joinery Shelf Rear Accent Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSRADJL230920DCH
Joinery Shelf Rear Accent Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSRADJL230920DGO
Joinery Shelf Rear Accent Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSRADJL270420DB
Joinery Shelf Rear Accent Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSRADJL270420DBR
Joinery Shelf Rear Accent Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSRADJL270420DCH
Joinery Shelf Rear Accent Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSRADJL270420DGO
Joinery Shelf Rear Accent Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSRADJL270920DB
Joinery Shelf Rear Accent Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSRADJL270920DBR
Joinery Shelf Rear Accent Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSRADJL270920DCH
Joinery Shelf Rear Accent Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSRADJL270920DGO
Joinery Shelf Rear Accent Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSRADJL300420DB
Joinery Shelf Rear Accent Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSRADJL300420DBR
Joinery Shelf Rear Accent Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSRADJL300420DCH
Joinery Shelf Rear Accent Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSRADJL300420DGO
Joinery Shelf Rear Accent Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSRADJL300920DB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Accent Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSRADJL300920DBR
Joinery Shelf Rear Accent Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSRADJL300920DCH
Joinery Shelf Rear Accent Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSRADJL300920DGO
Joinery Shelf Rear Accent Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSRADJL350420DB
Joinery Shelf Rear Accent Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSRADJL350420DBR
Joinery Shelf Rear Accent Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSRADJL350420DCH
Joinery Shelf Rear Accent Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSRADJL350420DGO
Joinery Shelf Rear Accent Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSRADJL350920DB
Joinery Shelf Rear Accent Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSRADJL350920DBR
Joinery Shelf Rear Accent Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSRADJL350920DCH
Joinery Shelf Rear Accent Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSRADJL350920DGO
Joinery Shelf Rear Accent Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSRADJL400420DB
Joinery Shelf Rear Accent Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSRADJL400420DBR
Joinery Shelf Rear Accent Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSRADJL400420DCH
Joinery Shelf Rear Accent Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSRADJL400420DGO
Joinery Shelf Rear Accent Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSRADJL400920DB
Joinery Shelf Rear Accent Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSRADJL400920DBR
Joinery Shelf Rear Accent Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSRADJL400920DCH
Joinery Shelf Rear Accent Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSRADJL400920DGO



Joinery Shelf Vector Bevel

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Vector Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSVBJL230420P45B
Joinery Shelf Vector Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSVBJL230420P45BR
Joinery Shelf Vector Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSVBJL230420P45CH
Joinery Shelf Vector Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSVBJL230420P45GO
Joinery Shelf Vector Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSVBJL230920P45B
Joinery Shelf Vector Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSVBJL230920P45BR
Joinery Shelf Vector Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSVBJL230920P45CH
Joinery Shelf Vector Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSVBJL230920P45GO
Joinery Shelf Vector Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSVBJL270420P45B
Joinery Shelf Vector Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSVBJL270420P45BR
Joinery Shelf Vector Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSVBJL270420P45CH
Joinery Shelf Vector Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSVBJL270420P45GO
Joinery Shelf Vector Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSVBJL270920P45B
Joinery Shelf Vector Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSVBJL270920P45BR
Joinery Shelf Vector Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSVBJL270920P45CH
Joinery Shelf Vector Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSVBJL270920P45GO
Joinery Shelf Vector Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSVBJL300420P45B
Joinery Shelf Vector Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSVBJL300420P45BR
Joinery Shelf Vector Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSVBJL300420P45CH
Joinery Shelf Vector Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSVBJL300420P45GO
Joinery Shelf Vector Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSVBJL300920P45B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Vector Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSVBJL300920P45BR
Joinery Shelf Vector Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSVBJL300920P45CH
Joinery Shelf Vector Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSVBJL300920P45GO
Joinery Shelf Vector Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSVBJL350420P45B
Joinery Shelf Vector Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSVBJL350420P45BR
Joinery Shelf Vector Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSVBJL350420P45CH
Joinery Shelf Vector Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSVBJL350420P45GO
Joinery Shelf Vector Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSVBJL350920P45B
Joinery Shelf Vector Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSVBJL350920P45BR
Joinery Shelf Vector Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSVBJL350920P45CH
Joinery Shelf Vector Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSVBJL350920P45GO
Joinery Shelf Vector Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSVBJL400420P45B
Joinery Shelf Vector Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSVBJL400420P45BR
Joinery Shelf Vector Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSVBJL400420P45CH
Joinery Shelf Vector Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSVBJL400420P45GO
Joinery Shelf Vector Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSVBJL400920P45B
Joinery Shelf Vector Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSVBJL400920P45BR
Joinery Shelf Vector Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSVBJL400920P45CH
Joinery Shelf Vector Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSVBJL400920P45GO



Joinery Shelf Vector Adjustable

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Vector Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSVAJL230420PB
Joinery Shelf Vector Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSVAJL230420PBR
Joinery Shelf Vector Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSVAJL230420PCH
Joinery Shelf Vector Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSVAJL230420PGO
Joinery Shelf Vector Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSVAJL230920PB
Joinery Shelf Vector Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSVAJL230920PBR
Joinery Shelf Vector Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSVAJL230920PCH
Joinery Shelf Vector Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSVAJL230920PGO
Joinery Shelf Vector Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSVAJL270420PB
Joinery Shelf Vector Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSVAJL270420PBR
Joinery Shelf Vector Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSVAJL270420PCH
Joinery Shelf Vector Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSVAJL270420PGO
Joinery Shelf Vector Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSVAJL270920PB
Joinery Shelf Vector Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSVAJL270920PBR
Joinery Shelf Vector Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSVAJL270920PCH
Joinery Shelf Vector Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSVAJL270920PGO
Joinery Shelf Vector Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSVAJL300420PB
Joinery Shelf Vector Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSVAJL300420PBR
Joinery Shelf Vector Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSVAJL300420PCH
Joinery Shelf Vector Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSVAJL300420PGO
Joinery Shelf Vector Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSVAJL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Vector Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSVAJL300920PBR
Joinery Shelf Vector Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSVAJL300920PCH
Joinery Shelf Vector Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSVAJL300920PGO
Joinery Shelf Vector Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSVAJL350420PB
Joinery Shelf Vector Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSVAJL350420PBR
Joinery Shelf Vector Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSVAJL350420PCH
Joinery Shelf Vector Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSVAJL350420PGO
Joinery Shelf Vector Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSVAJL350920PB
Joinery Shelf Vector Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSVAJL350920PBR
Joinery Shelf Vector Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSVAJL350920PCH
Joinery Shelf Vector Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSVAJL350920PGO
Joinery Shelf Vector Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSVAJL400420PB
Joinery Shelf Vector Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSVAJL400420PBR
Joinery Shelf Vector Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSVAJL400420PCH
Joinery Shelf Vector Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSVAJL400420PGO
Joinery Shelf Vector Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSVAJL400920PB
Joinery Shelf Vector Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSVAJL400920PBR
Joinery Shelf Vector Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSVAJL400920PCH
Joinery Shelf Vector Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSVAJL400920PGO

La Maison Ani
Dubai, UAE
Lighting Design: SoMA



Joinery Shelf Rear Accent Shield Dual

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Accent Shield Dual	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSRASJL230420PBR
Joinery Shelf Rear Accent Shield Dual	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSRASJL230420PCH
Joinery Shelf Rear Accent Shield Dual	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSRASJL230420PB
Joinery Shelf Rear Accent Shield Dual	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSRASJL230420PGO
Joinery Shelf Rear Accent Shield Dual	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSRASJL230920PB
Joinery Shelf Rear Accent Shield Dual	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSRASJL230920PBR
Joinery Shelf Rear Accent Shield Dual	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSRASJL230920PCH
Joinery Shelf Rear Accent Shield Dual	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSRASJL230920PGO
Joinery Shelf Rear Accent Shield Dual	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSRASJL270420PB
Joinery Shelf Rear Accent Shield Dual	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSRASJL270420PBR
Joinery Shelf Rear Accent Shield Dual	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSRASJL270420PCH
Joinery Shelf Rear Accent Shield Dual	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSRASJL270420PGO
Joinery Shelf Rear Accent Shield Dual	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSRASJL270920PB
Joinery Shelf Rear Accent Shield Dual	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSRASJL270920PBR
Joinery Shelf Rear Accent Shield Dual	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSRASJL270920PCH
Joinery Shelf Rear Accent Shield Dual	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSRASJL270920PGO
Joinery Shelf Rear Accent Shield Dual	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSRASJL300420PB
Joinery Shelf Rear Accent Shield Dual	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSRASJL300420PBR
Joinery Shelf Rear Accent Shield Dual	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSRASJL300420PCH
Joinery Shelf Rear Accent Shield Dual	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSRASJL300420PGO
Joinery Shelf Rear Accent Shield Dual	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSRASJL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Accent Shield Dual	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSRASJL300920PBR
Joinery Shelf Rear Accent Shield Dual	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSRASJL300920PCH
Joinery Shelf Rear Accent Shield Dual	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSRASJL300920PGO
Joinery Shelf Rear Accent Shield Dual	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSRASJL350420PB
Joinery Shelf Rear Accent Shield Dual	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSRASJL350420PBR
Joinery Shelf Rear Accent Shield Dual	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSRASJL350420PCH
Joinery Shelf Rear Accent Shield Dual	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSRASJL350420PGO
Joinery Shelf Rear Accent Shield Dual	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSRASJL350920PB
Joinery Shelf Rear Accent Shield Dual	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSRASJL350920PBR
Joinery Shelf Rear Accent Shield Dual	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSRASJL350920PCH
Joinery Shelf Rear Accent Shield Dual	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSRASJL350920PGO
Joinery Shelf Rear Accent Shield Dual	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSRASJL400420PB
Joinery Shelf Rear Accent Shield Dual	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSRASJL400420PBR
Joinery Shelf Rear Accent Shield Dual	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSRASJL400420PCH
Joinery Shelf Rear Accent Shield Dual	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSRASJL400420PGO
Joinery Shelf Rear Accent Shield Dual	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSRASJL400920PB
Joinery Shelf Rear Accent Shield Dual	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSRASJL400920PBR
Joinery Shelf Rear Accent Shield Dual	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSRASJL400920PCH
Joinery Shelf Rear Accent Shield Dual	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSRASJL400920PGO



Joinery Shelf Rear Accent Shield

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Accent Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSRTGJL230420PBR
Joinery Shelf Rear Accent Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSRTGJL230420PCH
Joinery Shelf Rear Accent Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSRTGJL230420PB
Joinery Shelf Rear Accent Shield	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSRTGJL230420PGO
Joinery Shelf Rear Accent Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSRTGJL230920PB
Joinery Shelf Rear Accent Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSRTGJL230920PBR
Joinery Shelf Rear Accent Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSRTGJL230920PCH
Joinery Shelf Rear Accent Shield	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSRTGJL230920PGO
Joinery Shelf Rear Accent Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSRTGJL270420PB
Joinery Shelf Rear Accent Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSRTGJL270420PBR
Joinery Shelf Rear Accent Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSRTGJL270420PCH
Joinery Shelf Rear Accent Shield	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSRTGJL270420PGO
Joinery Shelf Rear Accent Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSRTGJL270920PBR
Joinery Shelf Rear Accent Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSRTGJL270920PCH
Joinery Shelf Rear Accent Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSRTGJL270920PGO
Joinery Shelf Rear Accent Shield	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSRTGJL270920PB
Joinery Shelf Rear Accent Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSRTGJL300420PB
Joinery Shelf Rear Accent Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSRTGJL300420PBR
Joinery Shelf Rear Accent Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSRTGJL300420PCH
Joinery Shelf Rear Accent Shield	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSRTGJL300420PGO
Joinery Shelf Rear Accent Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSRTGJL300920PBR

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Accent Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSRTGJL300920PCH
Joinery Shelf Rear Accent Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSRTGJL300920PGO
Joinery Shelf Rear Accent Shield	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSRTGJL300920PB
Joinery Shelf Rear Accent Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSRTGJL350420PB
Joinery Shelf Rear Accent Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSRTGJL350420PBR
Joinery Shelf Rear Accent Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSRTGJL350420PCH
Joinery Shelf Rear Accent Shield	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSRTGJL350420PGO
Joinery Shelf Rear Accent Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSRTGJL350920PBR
Joinery Shelf Rear Accent Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSRTGJL350920PCH
Joinery Shelf Rear Accent Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSRTGJL350920PGO
Joinery Shelf Rear Accent Shield	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSRTGJL350920PB
Joinery Shelf Rear Accent Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSRTGJL400420PB
Joinery Shelf Rear Accent Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSRTGJL400420PBR
Joinery Shelf Rear Accent Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSRTGJL400420PCH
Joinery Shelf Rear Accent Shield	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSRTGJL400420PGO
Joinery Shelf Rear Accent Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSRTGJL400920PB
Joinery Shelf Rear Accent Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSRTGJL400920PBR
Joinery Shelf Rear Accent Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSRTGJL400920PCH
Joinery Shelf Rear Accent Shield	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSRTGJL400920PGO



Joinery Shelf Rear Track Glass

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Track Glass	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSRTGJL230420PBR
Joinery Shelf Rear Track Glass	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSRTGJL230420PCH
Joinery Shelf Rear Track Glass	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSRTGJL230420PB
Joinery Shelf Rear Track Glass	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSRTGJL230420PGO
Joinery Shelf Rear Track Glass	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSRTGJL230920PB
Joinery Shelf Rear Track Glass	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSRTGJL230920PBR
Joinery Shelf Rear Track Glass	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSRTGJL230920PCH
Joinery Shelf Rear Track Glass	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSRTGJL230920PGO
Joinery Shelf Rear Track Glass	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSRTGJL270420PB
Joinery Shelf Rear Track Glass	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSRTGJL270420PBR
Joinery Shelf Rear Track Glass	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSRTGJL270420PCH
Joinery Shelf Rear Track Glass	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSRTGJL270420PGO
Joinery Shelf Rear Track Glass	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSRTGJL270920PBR
Joinery Shelf Rear Track Glass	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSRTGJL270920PCH
Joinery Shelf Rear Track Glass	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSRTGJL270920PGO
Joinery Shelf Rear Track Glass	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSRTGJL270920PB
Joinery Shelf Rear Track Glass	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSRTGJL300420PB
Joinery Shelf Rear Track Glass	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSRTGJL300420PBR
Joinery Shelf Rear Track Glass	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSRTGJL300420PCH
Joinery Shelf Rear Track Glass	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSRTGJL300420PGO
Joinery Shelf Rear Track Glass	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSRTGJL300920PBR

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Rear Track Glass	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSRTGJL300920PCH
Joinery Shelf Rear Track Glass	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSRTGJL300920PGO
Joinery Shelf Rear Track Glass	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSRTGJL300920PB
Joinery Shelf Rear Track Glass	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSRTGJL350420PB
Joinery Shelf Rear Track Glass	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSRTGJL350420PBR
Joinery Shelf Rear Track Glass	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSRTGJL350420PCH
Joinery Shelf Rear Track Glass	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSRTGJL350420PGO
Joinery Shelf Rear Track Glass	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSRTGJL350920PBR
Joinery Shelf Rear Track Glass	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSRTGJL350920PCH
Joinery Shelf Rear Track Glass	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSRTGJL350920PGO
Joinery Shelf Rear Track Glass	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSRTGJL350920PB
Joinery Shelf Rear Track Glass	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSRTGJL400420PB
Joinery Shelf Rear Track Glass	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSRTGJL400420PBR
Joinery Shelf Rear Track Glass	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSRTGJL400420PCH
Joinery Shelf Rear Track Glass	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSRTGJL400420PGO
Joinery Shelf Rear Track Glass	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSRTGJL400920PB
Joinery Shelf Rear Track Glass	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSRTGJL400920PBR
Joinery Shelf Rear Track Glass	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSRTGJL400920PCH
Joinery Shelf Rear Track Glass	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSRTGJL400920PGO



Joinery Shelf Trim Track Bevel

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Trim Track Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSTB18JL230420P45B
Joinery Shelf Trim Track Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSTB18JL230420P45BR
Joinery Shelf Trim Track Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSTB18JL230420P45CH
Joinery Shelf Trim Track Bevel	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSTB18JL230420P45GO
Joinery Shelf Trim Track Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSTB18JL230920P45B
Joinery Shelf Trim Track Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSTB18JL230920P45BR
Joinery Shelf Trim Track Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSTB18JL230920P45CH
Joinery Shelf Trim Track Bevel	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSTB18JL230920P45GO
Joinery Shelf Trim Track Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSTB18JL270420P45B
Joinery Shelf Trim Track Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSTB18JL270420P45BR
Joinery Shelf Trim Track Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSTB18JL270420P45CH
Joinery Shelf Trim Track Bevel	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSTB18JL270420P45GO
Joinery Shelf Trim Track Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSTB18JL270920P45B
Joinery Shelf Trim Track Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSTB18JL270920P45BR
Joinery Shelf Trim Track Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSTB18JL270920P45CH
Joinery Shelf Trim Track Bevel	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSTB18JL270920P45GO
Joinery Shelf Trim Track Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSTB18JL300420P45B
Joinery Shelf Trim Track Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSTB18JL300420P45BR
Joinery Shelf Trim Track Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSTB18JL300420P45CH
Joinery Shelf Trim Track Bevel	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSTB18JL300420P45GO
Joinery Shelf Trim Track Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSTB18JL300920P45B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Trim Track Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSTB18JL300920P45BR
Joinery Shelf Trim Track Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSTB18JL300920P45CH
Joinery Shelf Trim Track Bevel	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSTB18JL300920P45GO
Joinery Shelf Trim Track Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSTB18JL350420P45B
Joinery Shelf Trim Track Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSTB18JL350420P45BR
Joinery Shelf Trim Track Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSTB18JL350420P45CH
Joinery Shelf Trim Track Bevel	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSTB18JL350420P45GO
Joinery Shelf Trim Track Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSTB18JL350920P45B
Joinery Shelf Trim Track Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSTB18JL350920P45BR
Joinery Shelf Trim Track Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSTB18JL350920P45CH
Joinery Shelf Trim Track Bevel	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSTB18JL350920P45GO
Joinery Shelf Trim Track Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSTB18JL400420P45B
Joinery Shelf Trim Track Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSTB18JL400420P45BR
Joinery Shelf Trim Track Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSTB18JL400420P45CH
Joinery Shelf Trim Track Bevel	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSTB18JL400420P45GO
Joinery Shelf Trim Track Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSTB18JL400920P45B
Joinery Shelf Trim Track Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSTB18JL400920P45BR
Joinery Shelf Trim Track Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSTB18JL400920P45CH
Joinery Shelf Trim Track Bevel	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSTB18JL400920P45GO

Ounass Maison
Dubai, UAE
Lighting Design: Nulty+



Joinery Shelf Trim Track Adjustable 18

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Trim Track Adjustable 18	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSTA18JL230420PB
Joinery Shelf Trim Track Adjustable 18	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSTA18JL230420PBR
Joinery Shelf Trim Track Adjustable 18	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSTA18JL230420PCH
Joinery Shelf Trim Track Adjustable 18	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSTA18JL230420PGO
Joinery Shelf Trim Track Adjustable 18	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSTA18JL230920PB
Joinery Shelf Trim Track Adjustable 18	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSTA18JL230920PBR
Joinery Shelf Trim Track Adjustable 18	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSTA18JL230920PCH
Joinery Shelf Trim Track Adjustable 18	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSTA18JL230920PGO
Joinery Shelf Trim Track Adjustable 18	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSTA18JL270420PB
Joinery Shelf Trim Track Adjustable 18	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSTA18JL270420PBR
Joinery Shelf Trim Track Adjustable 18	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSTA18JL270420PCH
Joinery Shelf Trim Track Adjustable 18	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSTA18JL270420PGO
Joinery Shelf Trim Track Adjustable 18	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSTA18JL270920PB
Joinery Shelf Trim Track Adjustable 18	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSTA18JL270920PBR
Joinery Shelf Trim Track Adjustable 18	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSTA18JL270920PCH
Joinery Shelf Trim Track Adjustable 18	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSTA18JL270920PGO
Joinery Shelf Trim Track Adjustable 18	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSTA18JL300420PB
Joinery Shelf Trim Track Adjustable 18	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSTA18JL300420PBR
Joinery Shelf Trim Track Adjustable 18	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSTA18JL300420PCH
Joinery Shelf Trim Track Adjustable 18	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSTA18JL300420PGO
Joinery Shelf Trim Track Adjustable 18	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSTA18JL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Trim Track Adjustable 18	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSTA18JL300920PBR
Joinery Shelf Trim Track Adjustable 18	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSTA18JL300920PCH
Joinery Shelf Trim Track Adjustable 18	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSTA18JL300920PGO
Joinery Shelf Trim Track Adjustable 18	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSTA18JL350420PB
Joinery Shelf Trim Track Adjustable 18	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSTA18JL350420PBR
Joinery Shelf Trim Track Adjustable 18	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSTA18JL350420PCH
Joinery Shelf Trim Track Adjustable 18	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSTA18JL350420PGO
Joinery Shelf Trim Track Adjustable 18	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSTA18JL350920PB
Joinery Shelf Trim Track Adjustable 18	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSTA18JL350920PBR
Joinery Shelf Trim Track Adjustable 18	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSTA18JL350920PCH
Joinery Shelf Trim Track Adjustable 18	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSTA18JL350920PGO
Joinery Shelf Trim Track Adjustable 18	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSTA18JL400420PB
Joinery Shelf Trim Track Adjustable 18	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSTA18JL400420PBR
Joinery Shelf Trim Track Adjustable 18	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSTA18JL400420PCH
Joinery Shelf Trim Track Adjustable 18	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSTA18JL400420PGO
Joinery Shelf Trim Track Adjustable 18	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSTA18JL400920PB
Joinery Shelf Trim Track Adjustable 18	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSTA18JL400920PBR
Joinery Shelf Trim Track Adjustable 18	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSTA18JL400920PCH
Joinery Shelf Trim Track Adjustable 18	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSTA18JL400920PGO



Joinery Shelf Heel Track Adjustable

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing





Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Heel Track Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSHTAJL230420PB
Joinery Shelf Heel Track Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSHTAJL230420PBR
Joinery Shelf Heel Track Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSHTAJL230420PCH
Joinery Shelf Heel Track Adjustable	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSHTAJL230420PGO
Joinery Shelf Heel Track Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSHTAJL230920PB
Joinery Shelf Heel Track Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSHTAJL230920PBR
Joinery Shelf Heel Track Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSHTAJL230920PCH
Joinery Shelf Heel Track Adjustable	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSHTAJL230920PGO
Joinery Shelf Heel Track Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSHTAJL270420PB
Joinery Shelf Heel Track Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSHTAJL270420PBR
Joinery Shelf Heel Track Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSHTAJL270420PCH
Joinery Shelf Heel Track Adjustable	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSHTAJL270420PGO
Joinery Shelf Heel Track Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSHTAJL270920PB
Joinery Shelf Heel Track Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSHTAJL270920PBR
Joinery Shelf Heel Track Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSHTAJL270920PCH
Joinery Shelf Heel Track Adjustable	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSHTAJL270920PGO
Joinery Shelf Heel Track Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSHTAJL300420PB
Joinery Shelf Heel Track Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSHTAJL300420PBR
Joinery Shelf Heel Track Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSHTAJL300420PCH
Joinery Shelf Heel Track Adjustable	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSHTAJL300420PGO
Joinery Shelf Heel Track Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSHTAJL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Heel Track Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSHTAJL300920PBR
Joinery Shelf Heel Track Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSHTAJL300920PCH
Joinery Shelf Heel Track Adjustable	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSHTAJL300920PGO
Joinery Shelf Heel Track Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSHTAJL350420PB
Joinery Shelf Heel Track Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSHTAJL350420PBR
Joinery Shelf Heel Track Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSHTAJL350420PCH
Joinery Shelf Heel Track Adjustable	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSHTAJL350420PGO
Joinery Shelf Heel Track Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSHTAJL350920PB
Joinery Shelf Heel Track Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSHTAJL350920PBR
Joinery Shelf Heel Track Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSHTAJL350920PCH
Joinery Shelf Heel Track Adjustable	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSHTAJL350920PGO
Joinery Shelf Heel Track Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSHTAJL400420PB
Joinery Shelf Heel Track Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSHTAJL400420PBR
Joinery Shelf Heel Track Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSHTAJL400420PCH
Joinery Shelf Heel Track Adjustable	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSHTAJL400420PGO
Joinery Shelf Heel Track Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSHTAJL400920PB
Joinery Shelf Heel Track Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSHTAJL400920PBR
Joinery Shelf Heel Track Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSHTAJL400920PCH
Joinery Shelf Heel Track Adjustable	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSHTAJL400920PGO



Joinery Shelf Trim Track Adjustable 36

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Trim Track Adjustable 36	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSTA36JL230420PB
Joinery Shelf Trim Track Adjustable 36	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSTA36JL230420PBR
Joinery Shelf Trim Track Adjustable 36	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSTA36JL230420PCH
Joinery Shelf Trim Track Adjustable 36	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSTA36JL230420PGO
Joinery Shelf Trim Track Adjustable 36	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSTA36JL230920PB
Joinery Shelf Trim Track Adjustable 36	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSTA36JL230920PBR
Joinery Shelf Trim Track Adjustable 36	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSTA36JL230920PCH
Joinery Shelf Trim Track Adjustable 36	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSTA36JL230920PGO
Joinery Shelf Trim Track Adjustable 36	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSTA36JL270420PB
Joinery Shelf Trim Track Adjustable 36	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSTA36JL270420PBR
Joinery Shelf Trim Track Adjustable 36	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSTA36JL270420PCH
Joinery Shelf Trim Track Adjustable 36	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSTA36JL270420PGO
Joinery Shelf Trim Track Adjustable 36	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSTA36JL270920PB
Joinery Shelf Trim Track Adjustable 36	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSTA36JL270920PBR
Joinery Shelf Trim Track Adjustable 36	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSTA36JL270920PCH
Joinery Shelf Trim Track Adjustable 36	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSTA36JL270920PGO
Joinery Shelf Trim Track Adjustable 36	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSTA36JL300420PB
Joinery Shelf Trim Track Adjustable 36	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSTA36JL300420PBR
Joinery Shelf Trim Track Adjustable 36	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSTA36JL300420PCH
Joinery Shelf Trim Track Adjustable 36	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSTA36JL300420PGO
Joinery Shelf Trim Track Adjustable 36	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSTA36JL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Shelf Trim Track Adjustable 36	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSTA36JL300920PBR
Joinery Shelf Trim Track Adjustable 36	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSTA36JL300920PCH
Joinery Shelf Trim Track Adjustable 36	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSTA36JL300920PGO
Joinery Shelf Trim Track Adjustable 36	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSTA36JL350420PB
Joinery Shelf Trim Track Adjustable 36	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSTA36JL350420PBR
Joinery Shelf Trim Track Adjustable 36	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSTA36JL350420PCH
Joinery Shelf Trim Track Adjustable 36	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSTA36JL350420PGO
Joinery Shelf Trim Track Adjustable 36	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSTA36JL350920PB
Joinery Shelf Trim Track Adjustable 36	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSTA36JL350920PBR
Joinery Shelf Trim Track Adjustable 36	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSTA36JL350920PCH
Joinery Shelf Trim Track Adjustable 36	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSTA36JL350920PGO
Joinery Shelf Trim Track Adjustable 36	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSTA36JL400420PB
Joinery Shelf Trim Track Adjustable 36	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSTA36JL400420PBR
Joinery Shelf Trim Track Adjustable 36	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSTA36JL400420PCH
Joinery Shelf Trim Track Adjustable 36	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSTA36JL400420PGO
Joinery Shelf Trim Track Adjustable 36	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSTA36JL400920PB
Joinery Shelf Trim Track Adjustable 36	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSTA36JL400920PBR
Joinery Shelf Trim Track Adjustable 36	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSTA36JL400920PCH
Joinery Shelf Trim Track Adjustable 36	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSTA36JL400920PGO

M Moser Headquarters
London, UK
Lighting Design: M Moser

The Westin Mina Seyahi
Dubai, UAE
Lighting Design: Smith Tait

Pull Handles

A versatile range of linear lighting profiles designed for integration into cabinet and joinery pull handles. Engineered to combine subtle illumination with functionality, the profiles provide targeted light distribution while maintaining low visual impact. With options for vertical, horizontal, single- and double-door configurations, the range supports both aesthetic continuity and practical lighting performance within high-use joinery elements.



Joinery Pull Handles LowTrack Door Pull Dual

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Pull Handles LowTrack Door Pull Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JPHLDPDJL230420B
Joinery Pull Handles LowTrack Door Pull Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JPHLDPDJL230420BR
Joinery Pull Handles LowTrack Door Pull Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JPHLDPDJL230420CH
Joinery Pull Handles LowTrack Door Pull Dual	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JPHLDPDJL230420GO
Joinery Pull Handles LowTrack Door Pull Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JPHLDPDJL230920B
Joinery Pull Handles LowTrack Door Pull Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JPHLDPDJL230920BR
Joinery Pull Handles LowTrack Door Pull Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JPHLDPDJL230920CH
Joinery Pull Handles LowTrack Door Pull Dual	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JPHLDPDJL230920GO
Joinery Pull Handles LowTrack Door Pull Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JPHLDPDJL270420B
Joinery Pull Handles LowTrack Door Pull Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JPHLDPDJL270420BR
Joinery Pull Handles LowTrack Door Pull Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JPHLDPDJL270420CH
Joinery Pull Handles LowTrack Door Pull Dual	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JPHLDPDJL270420GO
Joinery Pull Handles LowTrack Door Pull Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JPHLDPDJL270920B
Joinery Pull Handles LowTrack Door Pull Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JPHLDPDJL270920BR
Joinery Pull Handles LowTrack Door Pull Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JPHLDPDJL270920CH
Joinery Pull Handles LowTrack Door Pull Dual	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JPHLDPDJL270920GO
Joinery Pull Handles LowTrack Door Pull Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JPHLDPDJL300420B
Joinery Pull Handles LowTrack Door Pull Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JPHLDPDJL300420BR
Joinery Pull Handles LowTrack Door Pull Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JPHLDPDJL300420CH
Joinery Pull Handles LowTrack Door Pull Dual	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JPHLDPDJL300420GO
Joinery Pull Handles LowTrack Door Pull Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JPHLDPDJL300920B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Pull Handles LowTrack Door Pull Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JPHLDPDJL300920BR
Joinery Pull Handles LowTrack Door Pull Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JPHLDPDJL300920CH
Joinery Pull Handles LowTrack Door Pull Dual	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JPHLDPDJL300920GO
Joinery Pull Handles LowTrack Door Pull Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JPHLDPDJL350420B
Joinery Pull Handles LowTrack Door Pull Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JPHLDPDJL350420BR
Joinery Pull Handles LowTrack Door Pull Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JPHLDPDJL350420CH
Joinery Pull Handles LowTrack Door Pull Dual	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JPHLDPDJL350420GO
Joinery Pull Handles LowTrack Door Pull Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JPHLDPDJL350920B
Joinery Pull Handles LowTrack Door Pull Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JPHLDPDJL350920BR
Joinery Pull Handles LowTrack Door Pull Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JPHLDPDJL350920CH
Joinery Pull Handles LowTrack Door Pull Dual	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JPHLDPDJL350920GO
Joinery Pull Handles LowTrack Door Pull Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JPHLDPDJL400420B
Joinery Pull Handles LowTrack Door Pull Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JPHLDPDJL400420BR
Joinery Pull Handles LowTrack Door Pull Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JPHLDPDJL400420CH
Joinery Pull Handles LowTrack Door Pull Dual	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JPHLDPDJL400420GO
Joinery Pull Handles LowTrack Door Pull Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JPHLDPDJL400920B
Joinery Pull Handles LowTrack Door Pull Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JPHLDPDJL400920BR
Joinery Pull Handles LowTrack Door Pull Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JPHLDPDJL400920CH
Joinery Pull Handles LowTrack Door Pull Dual	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JPHLDPDJL400920GO



Joinery Pull Handles LowTrack Door Pull Shallow

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Pull Handles LowTrack Door Pull Shallow	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JPHLDPSJL230420B
Joinery Pull Handles LowTrack Door Pull Shallow	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JPHLDPSJL230420BR
Joinery Pull Handles LowTrack Door Pull Shallow	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JPHLDPSJL230420CH
Joinery Pull Handles LowTrack Door Pull Shallow	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JPHLDPSJL230420GO
Joinery Pull Handles LowTrack Door Pull Shallow	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JPHLDPSJL230920B
Joinery Pull Handles LowTrack Door Pull Shallow	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JPHLDPSJL230920BR
Joinery Pull Handles LowTrack Door Pull Shallow	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JPHLDPSJL230920CH
Joinery Pull Handles LowTrack Door Pull Shallow	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JPHLDPSJL230920GO
Joinery Pull Handles LowTrack Door Pull Shallow	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JPHLDPSJL270420B
Joinery Pull Handles LowTrack Door Pull Shallow	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JPHLDPSJL270420BR
Joinery Pull Handles LowTrack Door Pull Shallow	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JPHLDPSJL270420CH
Joinery Pull Handles LowTrack Door Pull Shallow	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JPHLDPSJL270420GO
Joinery Pull Handles LowTrack Door Pull Shallow	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JPHLDPSJL270920B
Joinery Pull Handles LowTrack Door Pull Shallow	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JPHLDPSJL270920BR
Joinery Pull Handles LowTrack Door Pull Shallow	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JPHLDPSJL270920CH
Joinery Pull Handles LowTrack Door Pull Shallow	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JPHLDPSJL270920GO
Joinery Pull Handles LowTrack Door Pull Shallow	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JPHLDPSJL300420B
Joinery Pull Handles LowTrack Door Pull Shallow	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JPHLDPSJL300420BR
Joinery Pull Handles LowTrack Door Pull Shallow	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JPHLDPSJL300420CH
Joinery Pull Handles LowTrack Door Pull Shallow	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JPHLDPSJL300420GO
Joinery Pull Handles LowTrack Door Pull Shallow	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JPHLDPSJL300920B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Pull Handles LowTrack Door Pull Shallow	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JPHLDPSJL300920BR
Joinery Pull Handles LowTrack Door Pull Shallow	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JPHLDPSJL300920CH
Joinery Pull Handles LowTrack Door Pull Shallow	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JPHLDPSJL300920GO
Joinery Pull Handles LowTrack Door Pull Shallow	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JPHLDPSJL350420B
Joinery Pull Handles LowTrack Door Pull Shallow	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JPHLDPSJL350420BR
Joinery Pull Handles LowTrack Door Pull Shallow	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JPHLDPSJL350420CH
Joinery Pull Handles LowTrack Door Pull Shallow	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JPHLDPSJL350420GO
Joinery Pull Handles LowTrack Door Pull Shallow	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JPHLDPSJL350920B
Joinery Pull Handles LowTrack Door Pull Shallow	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JPHLDPSJL350920BR
Joinery Pull Handles LowTrack Door Pull Shallow	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JPHLDPSJL350920CH
Joinery Pull Handles LowTrack Door Pull Shallow	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JPHLDPSJL350920GO
Joinery Pull Handles LowTrack Door Pull Shallow	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JPHLDPSJL400420B
Joinery Pull Handles LowTrack Door Pull Shallow	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JPHLDPSJL400420BR
Joinery Pull Handles LowTrack Door Pull Shallow	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JPHLDPSJL400420CH
Joinery Pull Handles LowTrack Door Pull Shallow	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JPHLDPSJL400420GO
Joinery Pull Handles LowTrack Door Pull Shallow	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JPHLDPSJL400920B
Joinery Pull Handles LowTrack Door Pull Shallow	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JPHLDPSJL400920BR
Joinery Pull Handles LowTrack Door Pull Shallow	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JPHLDPSJL400920CH
Joinery Pull Handles LowTrack Door Pull Shallow	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JPHLDPSJL400920GO



Joinery Pull Handles UpTrack Door Pull

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Prismatic
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Range Uptrack Door Pull	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Black	JPHUDPJL230420PB
Joinery Range Uptrack Door Pull	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JPHUDPJL230420PBR
Joinery Range Uptrack Door Pull	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JPHUDPJL230420PCH
Joinery Range Uptrack Door Pull	156lm/m 47.55lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JPHUDPJL230420PGO
Joinery Range Uptrack Door Pull	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Black	JPHUDPJL230920PB
Joinery Range Uptrack Door Pull	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JPHUDPJL230920PBR
Joinery Range Uptrack Door Pull	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JPHUDPJL230920PCH
Joinery Range Uptrack Door Pull	248lm/m 75.59lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JPHUDPJL230920PGO
Joinery Range Uptrack Door Pull	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Black	JPHUDPJL270420PB
Joinery Range Uptrack Door Pull	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JPHUDPJL270420PBR
Joinery Range Uptrack Door Pull	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JPHUDPJL270420PCH
Joinery Range Uptrack Door Pull	172lm/m 52.42lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JPHUDPJL270420PGO
Joinery Range Uptrack Door Pull	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Black	JPHUDPJL270920PB
Joinery Range Uptrack Door Pull	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JPHUDPJL270920PBR
Joinery Range Uptrack Door Pull	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JPHUDPJL270920PCH
Joinery Range Uptrack Door Pull	301lm/m 91.74lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JPHUDPJL270920PGO
Joinery Range Uptrack Door Pull	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Black	JPHUDPJL300420PB
Joinery Range Uptrack Door Pull	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JPHUDPJL300420PBR
Joinery Range Uptrack Door Pull	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JPHUDPJL300420PCH
Joinery Range Uptrack Door Pull	186lm/m 56.69lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JPHUDPJL300420PGO
Joinery Range Uptrack Door Pull	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Black	JPHUDPJL300920PB

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Range Uptrack Door Pull	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JPHUDPJL300920PBR
Joinery Range Uptrack Door Pull	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JPHUDPJL300920PCH
Joinery Range Uptrack Door Pull	325lm/m 99.06lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JPHUDPJL300920PGO
Joinery Range Uptrack Door Pull	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Black	JPHUDPJL350420PB
Joinery Range Uptrack Door Pull	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JPHUDPJL350420PBR
Joinery Range Uptrack Door Pull	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JPHUDPJL350420PCH
Joinery Range Uptrack Door Pull	207lm/m 63.09lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JPHUDPJL350420PGO
Joinery Range Uptrack Door Pull	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Black	JPHUDPJL350920PB
Joinery Range Uptrack Door Pull	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JPHUDPJL350920PBR
Joinery Range Uptrack Door Pull	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JPHUDPJL350920PCH
Joinery Range Uptrack Door Pull	337lm/m 102.71lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JPHUDPJL350920PGO
Joinery Range Uptrack Door Pull	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Black	JPHUDPJL400420PB
Joinery Range Uptrack Door Pull	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JPHUDPJL400420PBR
Joinery Range Uptrack Door Pull	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JPHUDPJL400420PCH
Joinery Range Uptrack Door Pull	224lm/m 68.27lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JPHUDPJL400420PGO
Joinery Range Uptrack Door Pull	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Black	JPHUDPJL400920PB
Joinery Range Uptrack Door Pull	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JPHUDPJL400920PBR
Joinery Range Uptrack Door Pull	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JPHUDPJL400920PCH
Joinery Range Uptrack Door Pull	362lm/m 110.33lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JPHUDPJL400920PGO



Joinery Pull Handles Vertical Grip Single Door Pull

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Range Vertical Grip Single Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JPHVGSJL230420BR
Joinery Range Vertical Grip Single Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JPHVGSJL230420CH
Joinery Range Vertical Grip Single Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JPHVGSJL230420GO
Joinery Range Vertical Grip Single Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JPHVGSJL230420B
Joinery Range Vertical Grip Single Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JPHVGSJL230920BR
Joinery Range Vertical Grip Single Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JPHVGSJL230920CH
Joinery Range Vertical Grip Single Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JPHVGSJL230920GO
Joinery Range Vertical Grip Single Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JPHVGSJL230920B
Joinery Range Vertical Grip Single Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JPHVGSJL270420BR
Joinery Range Vertical Grip Single Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JPHVGSJL270420CH
Joinery Range Vertical Grip Single Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JPHVGSJL270420GO
Joinery Range Vertical Grip Single Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JPHVGSJL270420B
Joinery Range Vertical Grip Single Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JPHVGSJL270920BR
Joinery Range Vertical Grip Single Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JPHVGSJL270920CH
Joinery Range Vertical Grip Single Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JPHVGSJL270920GO
Joinery Range Vertical Grip Single Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JPHVGSJL270920B
Joinery Range Vertical Grip Single Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JPHVGSJL300420BR
Joinery Range Vertical Grip Single Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JPHVGSJL300420CH
Joinery Range Vertical Grip Single Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JPHVGSJL300420GO
Joinery Range Vertical Grip Single Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JPHVGSJL300420B
Joinery Range Vertical Grip Single Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JPHVGSJL300920BR

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Range Vertical Grip Single Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JPHVGSJL300920CH
Joinery Range Vertical Grip Single Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JPHVGSJL300920GO
Joinery Range Vertical Grip Single Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JPHVGSJL300920B
Joinery Range Vertical Grip Single Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JPHVGSJL350420BR
Joinery Range Vertical Grip Single Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JPHVGSJL350420CH
Joinery Range Vertical Grip Single Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JPHVGSJL350420GO
Joinery Range Vertical Grip Single Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JPHVGSJL350420B
Joinery Range Vertical Grip Single Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JPHVGSJL350920BR
Joinery Range Vertical Grip Single Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JPHVGSJL350920CH
Joinery Range Vertical Grip Single Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JPHVGSJL350920GO
Joinery Range Vertical Grip Single Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JPHVGSJL350920B
Joinery Range Vertical Grip Single Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JPHVGSJL400420BR
Joinery Range Vertical Grip Single Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JPHVGSJL400420CH
Joinery Range Vertical Grip Single Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JPHVGSJL400420GO
Joinery Range Vertical Grip Single Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JPHVGSJL400420B
Joinery Range Vertical Grip Single Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JPHVGSJL400920BR
Joinery Range Vertical Grip Single Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JPHVGSJL400920CH
Joinery Range Vertical Grip Single Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JPHVGSJL400920GO
Joinery Range Vertical Grip Single Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JPHVGSJL400920B



Joinery Pull Handles Vertical Grip Double Door Pull

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Pull Handles Vertical Grip Double Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JPHVGDJL230420B
Joinery Pull Handles Vertical Grip Double Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JPHVGDJL230420BR
Joinery Pull Handles Vertical Grip Double Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JPHVGDJL230420CH
Joinery Pull Handles Vertical Grip Double Door Pull	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JPHVGDJL230420GO
Joinery Pull Handles Vertical Grip Double Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JPHVGDJL230920B
Joinery Pull Handles Vertical Grip Double Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JPHVGDJL230920BR
Joinery Pull Handles Vertical Grip Double Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JPHVGDJL230920CH
Joinery Pull Handles Vertical Grip Double Door Pull	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JPHVGDJL230920GO
Joinery Pull Handles Vertical Grip Double Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JPHVGDJL270420B
Joinery Pull Handles Vertical Grip Double Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JPHVGDJL270420BR
Joinery Pull Handles Vertical Grip Double Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JPHVGDJL270420CH
Joinery Pull Handles Vertical Grip Double Door Pull	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JPHVGDJL270420GO
Joinery Pull Handles Vertical Grip Double Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JPHVGDJL270920B
Joinery Pull Handles Vertical Grip Double Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JPHVGDJL270920BR
Joinery Pull Handles Vertical Grip Double Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JPHVGDJL270920CH
Joinery Pull Handles Vertical Grip Double Door Pull	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JPHVGDJL270920GO
Joinery Pull Handles Vertical Grip Double Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JPHVGDJL300420B
Joinery Pull Handles Vertical Grip Double Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JPHVGDJL300420BR
Joinery Pull Handles Vertical Grip Double Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JPHVGDJL300420CH
Joinery Pull Handles Vertical Grip Double Door Pull	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JPHVGDJL300420GO
Joinery Pull Handles Vertical Grip Double Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JPHVGDJL300920B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Pull Handles Vertical Grip Double Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JPHVGDJL300920BR
Joinery Pull Handles Vertical Grip Double Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JPHVGDJL300920CH
Joinery Pull Handles Vertical Grip Double Door Pull	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JPHVGDJL300920GO
Joinery Pull Handles Vertical Grip Double Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JPHVGDJL350420B
Joinery Pull Handles Vertical Grip Double Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JPHVGDJL350420BR
Joinery Pull Handles Vertical Grip Double Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JPHVGDJL350420CH
Joinery Pull Handles Vertical Grip Double Door Pull	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JPHVGDJL350420GO
Joinery Pull Handles Vertical Grip Double Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JPHVGDJL350920B
Joinery Pull Handles Vertical Grip Double Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JPHVGDJL350920BR
Joinery Pull Handles Vertical Grip Double Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JPHVGDJL350920CH
Joinery Pull Handles Vertical Grip Double Door Pull	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JPHVGDJL350920GO
Joinery Pull Handles Vertical Grip Double Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JPHVGDJL400420B
Joinery Pull Handles Vertical Grip Double Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JPHVGDJL400420BR
Joinery Pull Handles Vertical Grip Double Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JPHVGDJL400420CH
Joinery Pull Handles Vertical Grip Double Door Pull	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JPHVGDJL400420GO
Joinery Pull Handles Vertical Grip Double Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JPHVGDJL400920B
Joinery Pull Handles Vertical Grip Double Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JPHVGDJL400920BR
Joinery Pull Handles Vertical Grip Double Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JPHVGDJL400920CH
Joinery Pull Handles Vertical Grip Double Door Pull	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JPHVGDJL400920GO

Maslow's Mortimer House
London, UK
Lighting Design: Elektra Lighting

Ekiben Kitchen
Glyfada, Greece
Lighting Design: 18FIFTY

Skirt

A technically refined range of linear lighting profiles designed for integration at the base of cabinetry, walls, and architectural joinery. The collection includes flush-mounted, trim-detailed, and recessed variants, each developed to enhance spatial definition through soft, floor-grazing illumination. Suitable for use in kitchens, corridors, retail environments, and built-in furniture, the range supports both functional visibility and low-level ambient lighting within refined interior schemes.



Joinery Skirt Drywall

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Skirt Drywall	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSDJL230420B
Joinery Skirt Drywall	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSDJL230420BR
Joinery Skirt Drywall	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSDJL230420CH
Joinery Skirt Drywall	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSDJL230420GO
Joinery Skirt Drywall	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSDJL230920B
Joinery Skirt Drywall	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSDJL230920BR
Joinery Skirt Drywall	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSDJL230920CH
Joinery Skirt Drywall	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSDJL230920GO
Joinery Skirt Drywall	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSDJL270420B
Joinery Skirt Drywall	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSDJL270420BR
Joinery Skirt Drywall	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSDJL270420CH
Joinery Skirt Drywall	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSDJL270420GO
Joinery Skirt Drywall	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSDJL270920B
Joinery Skirt Drywall	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSDJL270920BR
Joinery Skirt Drywall	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSDJL270920CH
Joinery Skirt Drywall	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSDJL270920GO
Joinery Skirt Drywall	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSDJL300420B
Joinery Skirt Drywall	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSDJL300420BR
Joinery Skirt Drywall	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSDJL300420CH
Joinery Skirt Drywall	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSDJL300420GO
Joinery Skirt Drywall	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSDJL300920B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Skirt Drywall	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSDJL300920BR
Joinery Skirt Drywall	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSDJL300920CH
Joinery Skirt Drywall	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSDJL300920GO
Joinery Skirt Drywall	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSDJL350420B
Joinery Skirt Drywall	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSDJL350420BR
Joinery Skirt Drywall	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSDJL350420CH
Joinery Skirt Drywall	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSDJL350420GO
Joinery Skirt Drywall	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSDJL350920B
Joinery Skirt Drywall	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSDJL350920BR
Joinery Skirt Drywall	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSDJL350920CH
Joinery Skirt Drywall	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSDJL350920GO
Joinery Skirt Drywall	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSDJL400420B
Joinery Skirt Drywall	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSDJL400420BR
Joinery Skirt Drywall	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSDJL400420CH
Joinery Skirt Drywall	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSDJL400420GO
Joinery Skirt Drywall	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSDJL400920B
Joinery Skirt Drywall	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSDJL400920BR
Joinery Skirt Drywall	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSDJL400920CH
Joinery Skirt Drywall	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSDJL400920GO



Joinery Skirt Flush

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Skirt Flush	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSFJL230420B
Joinery Skirt Flush	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSFJL230420BR
Joinery Skirt Flush	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSFJL230420CH
Joinery Skirt Flush	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSFJL230420GO
Joinery Skirt Flush	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSFJL230920B
Joinery Skirt Flush	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSFJL230920BR
Joinery Skirt Flush	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSFJL230920CH
Joinery Skirt Flush	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSFJL230920GO
Joinery Skirt Flush	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSFJL270420B
Joinery Skirt Flush	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSFJL270420BR
Joinery Skirt Flush	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSFJL270420CH
Joinery Skirt Flush	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSFJL270420GO
Joinery Skirt Flush	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSFJL270920B
Joinery Skirt Flush	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSFJL270920BR
Joinery Skirt Flush	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSFJL270920CH
Joinery Skirt Flush	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSFJL270920GO
Joinery Skirt Flush	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSFJL300420B
Joinery Skirt Flush	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSFJL300420BR
Joinery Skirt Flush	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSFJL300420CH
Joinery Skirt Flush	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSFJL300420GO
Joinery Skirt Flush	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSFJL300920B

Technical Specifications

Product Range	Lumen Output (lm/m)	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Skirt Flush	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSFJL300920B
Joinery Skirt Flush	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSFJL300920BR
Joinery Skirt Flush	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSFJL300920CH
Joinery Skirt Flush	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSFJL350420GO
Joinery Skirt Flush	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSFJL350420B
Joinery Skirt Flush	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSFJL350420BR
Joinery Skirt Flush	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSFJL350420CH
Joinery Skirt Flush	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSFJL350920GO
Joinery Skirt Flush	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSFJL350920B
Joinery Skirt Flush	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSFJL350920BR
Joinery Skirt Flush	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSFJL350920CH
Joinery Skirt Flush	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSFJL400420GO
Joinery Skirt Flush	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSFJL400420B
Joinery Skirt Flush	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSFJL400420BR
Joinery Skirt Flush	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSFJL400420CH
Joinery Skirt Flush	153lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSFJL400920GO
Joinery Skirt Flush	153lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSFJL400920B
Joinery Skirt Flush	153lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSFJL400920BR
Joinery Skirt Flush	153lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSFJL400920CH

Joinery Skirt Trim

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Material**	Aluminium
Ambient Temperature	-25°C to 55°C | -13°F to 131°F	**Lens Type**	Opal
Max Length	5000mm | 196.85in	**Cable Length**	3000mm | 118.11in

ERP · UL · CE · RoHS · FLAME RESISTANCE · HEAT SINK · END CAPS · MOUNTING CLIPS · CUTTABLE ON SITE · IK05 · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Skirt Trim	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Black	JSTJL230420B
Joinery Skirt Trim	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Brass	JSTJL230420BR
Joinery Skirt Trim	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Champagne	JSTJL230420CH
Joinery Skirt Trim	61lm/m 18.59lm/ft	2300K	4.8W/m 1.46W/ft	Gold	JSTJL230420GO
Joinery Skirt Trim	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Black	JSTJL230920B
Joinery Skirt Trim	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Brass	JSTJL230920BR
Joinery Skirt Trim	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Champagne	JSTJL230920CH
Joinery Skirt Trim	111lm/m 33.83lm/ft	2300K	9.6W/m 2.93W/ft	Gold	JSTJL230920GO
Joinery Skirt Trim	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Black	JSTJL270420B
Joinery Skirt Trim	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Brass	JSTJL270420BR
Joinery Skirt Trim	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Champagne	JSTJL270420CH
Joinery Skirt Trim	75lm/m 22.86lm/ft	2700K	4.8W/m 1.46W/ft	Gold	JSTJL270420GO
Joinery Skirt Trim	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Black	JSTJL270920B
Joinery Skirt Trim	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Brass	JSTJL270920BR
Joinery Skirt Trim	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Champagne	JSTJL270920CH
Joinery Skirt Trim	136lm/m 41.45lm/ft	2700K	9.6W/m 2.93W/ft	Gold	JSTJL270920GO
Joinery Skirt Trim	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Black	JSTJL300420B
Joinery Skirt Trim	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Brass	JSTJL300420BR
Joinery Skirt Trim	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Champagne	JSTJL300420CH
Joinery Skirt Trim	78lm/m 23.77lm/ft	3000K	4.8W/m 1.46W/ft	Gold	JSTJL300420GO
Joinery Skirt Trim	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Black	JSTJL300920B

Technical Specifications

Product Range	Lumen Output	Colour Temperature	Power Consumption	Finish Colour	Product Code
Joinery Skirt Trim	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Brass	JSTJL300920BR
Joinery Skirt Trim	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Champagne	JSTJL300920CH
Joinery Skirt Trim	161lm/m 49.07lm/ft	3000K	9.6W/m 2.93W/ft	Gold	JSTJL300920GO
Joinery Skirt Trim	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Black	JSTJL350420B
Joinery Skirt Trim	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Brass	JSTJL350420BR
Joinery Skirt Trim	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Champagne	JSTJL350420CH
Joinery Skirt Trim	89lm/m 27.13lm/ft	3500K	4.8W/m 1.46W/ft	Gold	JSTJL350420GO
Joinery Skirt Trim	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Black	JSTJL350920B
Joinery Skirt Trim	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Brass	JSTJL350920BR
Joinery Skirt Trim	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Champagne	JSTJL350920CH
Joinery Skirt Trim	153lm/m 46.63lm/ft	3500K	9.6W/m 2.93W/ft	Gold	JSTJL350920GO
Joinery Skirt Trim	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Black	JSTJL400420B
Joinery Skirt Trim	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Brass	JSTJL400420BR
Joinery Skirt Trim	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Champagne	JSTJL400420CH
Joinery Skirt Trim	102lm/m 31.09lm/ft	4000K	4.8W/m 1.46W/ft	Gold	JSTJL400420GO
Joinery Skirt Trim	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Black	JSTJL400920B
Joinery Skirt Trim	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Brass	JSTJL400920BR
Joinery Skirt Trim	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Champagne	JSTJL400920CH
Joinery Skirt Trim	160lm/m 48.77lm/ft	4000K	9.6W/m 2.93W/ft	Gold	JSTJL400920GO

Studio Frantzén
Dubai, UAE
Lighting Design: Studio N

Hyde London City
London, UK
Lighting Design: Elektra Lighting

Sensors

A refined range of control solutions designed for seamless integration into joinery lighting. Engineered for discreet installation and intuitive operation, the sensors enable automatic or user-activated light control across a variety of applications. By eliminating the need for visible switches, the range allows for a clean, uninterrupted visual finish, making it particularly suited to wardrobes, drawers, and cabinetry.

JDDS

Joinery Double Door Sensors



Electrical Output & Data

Dimensions	L11.39 x D15.97mm | L0.45 x D0.63in
Voltage	24V DC
IP Rating	20
Material	Plastic ABS

Technical Drawing



JSDS

Joinery Single Door Sensor



Electrical Output & Data

Dimensions	L11.39 x D15.97mm | L0.45 x D0.63in
Voltage	24V DC
IP Rating	20
Material	Plastic ABS

Technical Drawing



JHWS

Joinery Handwave Sensor



Electrical Output & Data

Dimensions	L11.39 x D15.97mm | L0.45 x D0.63in
Voltage	24V DC
IP Rating	20
Material	Plastic ABS

Technical Drawing



JPS

Joinery PIR Sensor



Electrical Output & Data

Dimensions	L11.39 mm x D16 mm | L0.45 x D0.63in
Voltage	24V DC
IP Rating	20
Material	Plastic ABS

Technical Drawing



JTS

Joinery Touch Sensor



Electrical Output & Data

Dimensions	L11.39 x D15.97mm | L0.45 x D0.63in
Voltage	24V DC
IP Rating	20
Material	Plastic ABS

Technical Drawing



Desert Rock
Red Sea, Saudi Arabia
Lighting Design: Delta Lighting Design

Drive

Engineered to deliver stable low-voltage power, Joinery Drive supports integrated lighting within cabinetry and custom furniture applications. Its compact form allows for concealed installation, maintaining clean detailing across joinery elements. Optimised for energy efficiency and consistent output, it provides dependable performance where precision, control, and design integrity are essential.

JD2424E
Joinery Drive 24

Electrical Output & Data

Power Consumption	24W
Control Protocol	Switching
IP Rating	20
Output Voltage	24V DC

Technical Drawing



JD3624E
Joinery Drive 36

Electrical Output & Data

Power Consumption	36W
Control Protocol	Switching
IP Rating	20
Output Voltage	24V DC

Technical Drawing



JD6024E
Joinery Drive 60



Electrical Output & Data

Power Consumption	60W
Control Protocol	Switching
IP Rating	20
Output Voltage	24V DC

Technical Drawing



JD10024E
Joinery Drive 100

Electrical Output & Data

Power Consumption	100W
Control Protocol	Switching
IP Rating	20
Output Voltage	24V DC

Technical Drawing



JD6WDBE

Joinery Drive 6 Way Distribution Box

Electrical Output & Data

Power Consumption	72W
Control Protocol	Switching
IP Rating	20
Output Voltage	24V DC

Technical Drawing



Row on 45
Dubai, UAE
Lighting Design: Studio Lumen



Joinery Flex

Designed for seamless integration within the Joinery Range, Joinery Flex is a flexible linear light engineered for plug-and-play installation across shelves, pull handles, and skirt applications. Its adaptable format supports precise placement within joinery profiles, enabling clean, continuous lines of light. Fully compatible with Joinery Drive and associated sensor solutions, it delivers consistent output and reliable performance while preserving overall design intent in integrated applications.



Joinery Flex

Electrical Output & Data

Power Consumption	4.8 | 9.6 W/m / 1.46 | 2.93 W/ft	**CRI**	97
Voltage	24V DC	**Beam Angle**	120°
Ambient Temperature	-25°C to 50°C | -13°F to 122°F	**Cutting Interval**	10mm | 0.39in
Max Length	5000mm | 196.85in	**IP Rating**	20

ERP · UL · CE · RoHS · LM 79/80 COMPLIANT · DIMMABLE TECHNOLOGY · IP20 · 7 YEARS WARRANTY · VHB Tape · TM66 ASSESSED · 7 YEARS WARRANTY

Technical Drawing



Technical Specifications

Product Range	CRI Value	Colour Temperature	Power Consumption	Lumen Output	Product Code
Joinery Flex	CRI97	2300K	4.8W/m 1.46W/ft	202lm/m 61.57lm/ft	JL23C2004
Joinery Flex	CRI97	2300K	9.6W/m 2.93W/ft	361lm/m 110.03lm/ft	JL23C2009
Joinery Flex	CRI97	2700K	4.8W/m 1.46W/ft	224lm/m 68.27lm/ft	JL27C2004
Joinery Flex	CRI97	2700K	9.6W/m 2.93W/ft	445lm/m 135.63lm/ft	JL27C2009
Joinery Flex	CRI97	3000K	4.8W/m 1.46W/ft	248lm/m 75.59lm/ft	JL30C2004
Joinery Flex	CRI97	3000K	9.6W/m 2.93W/ft	458lm/m 139.59lm/ft	JL30C2009
Joinery Flex	CRI97	3500K	4.8W/m 1.46W/ft	256lm/m 78.02lm/ft	JL35C2004
Joinery Flex	CRI97	3500K	9.6W/m 2.93W/ft	521lm/m 158.79lm/ft	JL35C2009
Joinery Flex	CRI97	4000K	4.8W/m 1.46W/ft	319lm/m 97.23lm/ft	JL40C2004
Joinery Flex	CRI97	4000K	9.6W/m 2.93W/ft	606lm/m 184.7lm/ft	JL40C2009

One Za'abeel
Dubai, UAE
Lighting Design: DPA Lighting Consultants

LEDFLEX